

FYBER®



DESIGNED & DEVELOPED IN INDIA
Made for the World



CCTV SMPS



ADAPTORS



NETWORKING SOLUTIONS



CONNECTIVITY



UPS SOLUTIONS




WIRES & CABLES



HDMI



SOLAR SOLUTIONS



IT ACCESSORIES

Independent Series

PS-1204

4 Channel Individual Output

Input - 150-285VAC, 50/60Hz

Output - 12V1A per Channel

Inbuilt Surge Protection

PS-1208

8 Channel Individual Output

Input - 150-285VAC, 50/60Hz

Output - 12V1A per Channel

Inbuilt Surge Protection

PS-1216

16 Channel Individual Output

Input - 150-285VAC, 50/60Hz

Output - 12V1A per Channel

Inbuilt Surge Protection

FYUS-21

Common Terminal SMPS

Input - 150-285VAC, 50/60Hz

Output - 12VDC 1 Amp Max

Inbuilt Surge Protection

Unite Series

FYUS-22

Common Terminal SMPS

Input - 150-285VAC, 50/60Hz

Output - 12VDC 2 Amp Max

Inbuilt Surge Protection

FYUS-51

4 Channel Common Terminal

Input - 150-285VAC, 50/60Hz

Output - 12V 5 Amp Max

Inbuilt Surge Protection

FYUS-61

8 Channel Common Terminal

Input - 150-285VAC, 50/60Hz

Output - 12V 8 Amp Max

Inbuilt Surge Protection

FYUS-71

16 Channel Common Terminal

Input - 150-285VAC, 50/60Hz

Output - 12V 14 Amp Max

Inbuilt Surge Protection

Insta Series

FW-104

4 Channel Wired Output

Input - 150-285VAC, 50/60Hz

Metal Housing

High Grade Powder Coating

FW-108

8 Channel Wired Output

Input - 150-285VAC, 50/60Hz

Metal Housing

High Grade Powder Coating

FW-116

16 Channel Wired Output

Input - 150-285VAC, 50/60Hz

Metal Housing

High Grade Powder Coating

Arctic Series

AS-1205

4 Channel CCTV SMPS

Input - 150-285VAC, 50/60Hz

12V 5 Amp Max

Rainproof

AS-1210

8 Channel CCTV SMPS

Input - 150-285VAC, 50/60Hz

12V 10 Amp Max

Rainproof

SMPS ADAPTERS

Wall-mount Series

5V1A

Output - 5V 1A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

5V2A

Output - 5V 2A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

9V1A

Output - 9V 1A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

9V2A

Output - 9V 2A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

12V1A

Output - 12V 1A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

12V2A

Output - 12V 2A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

15V1A

Output - 15V 1A

Input - 150-285VAC, 50/60Hz

1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

19V2.1A

Output - 19V 2.1A

Input - 150-285VAC, 50/60Hz


1.5 Mtrs Cable with DC Lead

Inbuilt Surge Protection

Desktop Series

<p>FYDS-123</p>  <p>Output - 12V 3Amp</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with DC Lead</p> <p>LED Indicator</p>	<p>FYDS-125</p>  <p>Output - 12V 5Amp</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with DC Lead</p> <p>LED Indicator</p>	<p>FYDS-125PS2HK</p>  <p>16 Channel Individual Output</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with PS2 Pin</p> <p>LED Indicator</p>	<p>FYDS-243</p>  <p>Output - 24V 3Amp</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with DC Lead</p> <p>LED Indicator</p>
<p>FYDS-5215</p>  <p>Output - 52V 1.5 Amp</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with DC Lead</p> <p>LED Indicator</p>	<p>FYDS-5225</p>  <p>Output - 52V 2.3 Amp</p> <p>Input - 150-285VAC, 50/60Hz</p> <p>1 Mtr Cable with DC Lead</p> <p>LED Indicator</p>		

POE SWITCHES

<p>FYA-42FE</p>  <p>4 Port Downlink 10/100 MBPS + 2 Port * 10/100 MBPS Uplink</p> <p>Adapter - 52VDC/1.38A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYA-42SFP</p>  <p>10/100/1000+1 X uplink (10/100/1000)+2 x SFP (125G)</p> <p>Adapter - 52V/1.3A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYA-82FE</p>  <p>8 Port Downlink 10/100 MBPS + 2 Port * 10/100 MBPS</p> <p>Adapter - 52VDC/2.3A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYA-82SFP</p>  <p>(10/100/1000+1 X uplink (10/100/1000)+2 x SFP (125G)</p> <p>Adapter - 52V/2.3A</p> <p>Transmission upto 250 Mtrs</p>
<p>FYA-82GE</p>  <p>8 Port Downlink 10/100 Mbps + 2x10/100/1000 Mbps Uplink</p> <p>Adapter - 52V/2.3A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYA-82FG</p>  <p>8 Port Downlink 8x10/100 / 1000Mbps + 2x10/100/1000 Mbps Uplink</p> <p>Adapter - 52VDC/2.3A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYR-162GE</p>  <p>16 Port Downlink 10/100 MBPS + 2 Port x 10/100 MBPS Uplink + 1*SFP (10/100/1000)</p> <p>Adapter - 52VDC/4.6A</p> <p>Transmission upto 250 Mtrs</p>	<p>FYR-G162GE</p>  <p>16*10/100/1000 Downlink with uplink (10/100/1000) and 2*1000/2500Mbps SFP Slots</p> <p>Adapter - 52VDC/4.6A</p> <p>Transmission upto 250 Mtrs</p>

ETHERNET SWITCHES

<p>FYES-05R</p>  <p>5 * 10/100 TX</p> <p>Adapter 5V1Amp with DC</p> <p>Transmission up to 100 Mtrs</p> <p>Supports 4KV Surge</p>	<p>FYES-08R</p>  <p>8 * 10/100 TX</p> <p>Adapter 5V1Amp with DC</p> <p>Transmission upto 100 Mtrs</p> <p>Supports 4KV Surge</p>	<p>FYES-16G</p>  <p>16 * 10/100/1000 TX</p> <p>Adapter 12V1 Amp with DC</p> <p>Transmission upto 100 Mtrs</p> <p>Supports 4KV Surge</p>	<p>FYR-242GE</p>  <p>24 Port Downlink 10/100 MBPS + 2 Port x 10/100 MBPS Uplink + 2* SFP (10/100/1000)</p> <p>Adapter - 52VDC/ 5.76A</p> <p>Transmission upto 250 Mtrs</p>
---	---	---	--

CONNECTIVITY

<p>FY4G-03A</p>  <p>WiFi 6 Router 4G / 5G Compatible</p> <p>3* 5Dbi Antenna</p> <p>Power Consumption 12V1A</p> <p>Upto 150 Mbps Speed</p>	<p>FYMC-FE11</p>  <p>Media Converter Power - 5V 1 Amp</p> <p>Upto 10./100M Base TX</p> <p>High Quality Metal Casing</p> <p>Inbuilt Surge Protection</p>	<p>FYMC-GE22</p>  <p>Media Converter (Giga) Power - 5V 1 Amp</p> <p>Upto 10./100/1000M Base TX</p> <p>High Quality Metal Casing</p> <p>Inbuilt Surge Protection</p>	<p>FY-WB500</p>  <p>P2P Wireless Bridge Frequency - 5.8G frequency</p> <p>Transmission Speed - 300Mbps</p> <p>DRAM: DDR2 64MByte</p> <p>Power: DC 12V 1A / POE 12V 1A</p>
--	---	---	---

HDMI EXTENDERS

<p>FY-HEP30M</p>  <p>Resolution: 720p@50/60Hz 1080i@50/60Hz, 1080p@60Hz</p> <hr/> <p>Transmission upto 30m</p> <hr/> <p>Supports HDMI1.3, HDCP1.2</p>	<p>FY-HE60M</p>  <p>Res up to 1080p/60Hz</p> <hr/> <p>Transmission Rate - 60 M</p> <hr/> <p>Support copy EDID</p> <hr/> <p>Supports HDMI1.3, HDCP1.2</p>	<p>FY-HE60KVM</p>  <p>Resolution: 720p@50/60Hz, 1080i@50/60Hz, 1080p@60Hz</p> <hr/> <p>Power Supply: DC5V/1A</p> <hr/> <p>Compatible with USB1.1</p>	<p>FY-HE150M</p>  <p>Resolution 480i@60Hz, 480p@60Hz, 576i@50Hz, 5760@50Hz, 720p@50/60Hz, 1080i@50/60Hz, 1080p@60Hz</p> <hr/> <p>Power Supply: DC12V/1A</p> <hr/> <p>ESD Protection</p>
<p>FY-HE150KVM</p>  <p>Resolution: upto 1080i@50/60Hz, 1080p@60Hz</p> <hr/> <p>Power Supply: DC12V/1A</p> <hr/> <p>Compatible with USB1.1</p>	<p>FY-HE30W</p>  <p>Wireless HDMI Extender Resolution upto 1080p@60Hz</p> <hr/> <p>SSID Pairing: Supported</p> <hr/> <p>Voltage: 5V1A from type.C</p> <hr/> <p>Version: HDMI1.3 HDCP1.2</p>		

UPS SOLUTIONS

<p>FYMU-21</p>  <p>DC UPS Input 12V3A</p> <hr/> <p>Output 12V2.5Amp</p> <hr/> <p>2.6AH 11.1V Li-ion Battery</p> <hr/> <p>MCU Based Design</p>	<p>FY-UPS8C</p>  <p>DC UPS 8 CCTV Camera, 8 Channel DVR and Router with 5.2AH 11.1V Li-ion Battery Pack</p> <hr/> <p>Power Budget 130 Watts</p> <hr/> <p>MCU Based Design</p>	<p>FYAU-11</p>  <p>Adapter with UPS 2.6AH 3.7V Lithium Cell with AC Input 3 Pin Plug</p> <hr/> <p>On Off Slider Switch</p> <hr/> <p>Wide Compatibility</p>	<p>FY-POEUPS</p>  <p>Backup for 8 Ch NVR/ 8 Ch PoE Switch/ Monitor/Router</p> <hr/> <p>Power Budget 130 Watts</p> <hr/> <p>Wide Compatibility</p>
--	---	---	---

IT ACCESSORIES

<p>IFY-HDMI</p>  <p>HDMI Cable 4K HDMI / 60 Hz Resolution</p> <hr/> <p>18GBPS High Speed</p> <hr/> <p>48 Bit Colors</p> <hr/> <p>Available in 1.5 / 3/ 5/ 10 Mtrs</p>	<p>FYSP-11</p>  <p>1500 Watts Surge Protector</p> <hr/> <p>5 Universal Outlets 0.5 Sq mm Power Cord</p> <hr/> <p>Pure Brass Composite Terminals</p> <hr/> <p>Available in 2/5 Meters</p>	<p>IFY-D11</p>  <p>Desktop Cord 1.5 Mtrs</p> <hr/> <p>Pure Copper Conductor</p> <hr/> <p>3 Pin Power Connector</p> <hr/> <p>Virgin PVC</p>	<p>IFY-L22</p>  <p>Laptop Cord 1.5 Mtrs</p> <hr/> <p>Pure Copper Conductor</p> <hr/> <p>3 Pin Power Connector</p> <hr/> <p>Virgin PVC</p>
<p>FYOE-11</p>  <p>2500W Outlet Extension Cord</p> <hr/> <p>Single Outlet, 0.75 Sq. mm Cable</p> <hr/> <p>Anti Flaming PVC</p> <hr/> <p>Available in 5 and 10 Meters</p>	<p>iFY-JC44</p>  <p>4"x4" CCTV Junction Box Premium grade Thermoplastic</p> <hr/> <p>Application - CCTV Cameras</p> <hr/> <p>Colour: Off-White</p> <hr/> <p>Dimensions - 4" x 4"</p>	<p>iFY-JC55</p>  <p>5"x5" CCTV Junction Box Premium grade Thermoplastic</p> <hr/> <p>Application - CCTV Cameras</p> <hr/> <p>Colour: Off-White</p> <hr/> <p>Dimensions - 5" x 5"</p>	<p>iFYBNC</p>  <p>BNC Cable Diameter: 0.570 in (14.5 mm), male; 0.436 in (11.1 mm), female</p> <hr/> <p>Wire Length: 200mm</p> <hr/> <p>Gauge: 16/38</p>
<p>iFYDC</p>  <p>DC Cable Connection - Male to Male</p> <hr/> <p>Gauge: 16/38</p> <hr/> <p>O/D: 4.5 mm</p> <hr/> <p>DC Pin: 2.1 x 5.5</p>	<p>FYJCPOE</p>  <p>PoE Junction Box Inbuilt 3-socket Surge Protector</p> <hr/> <p>Weight: 920 gms</p> <hr/> <p>Material: ABS FR</p> <hr/> <p>Water-resistant Enclosure</p>	<p>iFYRJ45</p>  <p>RJ45 Connector for CAT5 Cable 03MU Micro-inch Gold Plating</p> <hr/> <p>Housing: PC, transparent</p> <hr/> <p>Copper Alloy Contact Terminal</p> <hr/> <p>Operating Temperature -40 degree to 80 degree</p>	