An ISO 9001 - 2015 certified company

MEMBER AIM USA Association for Automatic Identification and Mobility

28 YEARS OF ONEBYTE STALLION 1996-2024

STALLION GROUP

SMARTER | FASTER | HIGHER

INDIA I UAE I QATAR I OMAN



WAREHOUSE MANAGEMENT SOLUTIONS

SUPPLY CHAIN MANAGEMENT SOLUTIONS

ASSET MANAGEMENT SOLUTIONS

RETAIL MANAGEMENT SOLUTIONS



HEALTHCARE MANAGEMENT SOLUTIONS

TRACK AND TRACE SOLUTIONS

STALLION ONEBYTE PVT LTD, INDIA
STALLION LABEL INDUSTRIES LLC, UAE
STALLION ONEBYTE TRADING LLC, UAE
GLOBAL STALLION SYSTEMS WLL, QATAR
STALLION SYSTEMS LLC, OMAN

Honeywell PLATINUM ELITE PERFORMANCE PARTNER | DATALOGIC DIAMOND PARTNER | AVERY DENNISON Strategic Partner | ALIEN | sunmi PLATINUM PARTNER | Seuic GOLD PARTNER | BOXPOS | BOXPOS by FETCH | BOXP | BOXRF

www.stallionglobal.com

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

Honeywell PLATINUM ELITE PERFORMANCE PARTNER

BARCODE PRINTERS

DESKTOP PRINTERS

PC42E-T

4 inch, 203 / 300 DPI,
Maximum
Print Width: 4.25 in
128 MB Flash,
128 MB SDRAM
INTERFACES
Standard:
USB, Ethernet
Optional
WiFi/BT

PC45

Thermal Transfer /
Direct Thermal
4 inch, 203/300 dpi,
Print Speed: 8 ips (max.)
INTERFACES
Standard:
USB, Ethernet
Optional
WiFi/BT

PD45

PD45S
Thermal Transfer /
Direct Thermal
4.25 inch, 203/300 dpi,
Print Speed: 8 ips (max.)
INTERFACES
Standard:
USB, RS32, Ethernet
Optional
Parallel/WiFi/BT

PM45

PM45/PM45C
Thermal Transfer /
Direct Thermal
4.25 inch,
203/300/406/600 dpi,
Print Speed: 14 ips (max.)
INTERFACES
Standard:
USB, RS32, Ethernet
Optional
Parallel/WiFi/BT

PM65

Industrial Printer
Direct Thermal /
Thermal Transfer
6 inch, 203 / 300 dpi,
Print Speed: 12 ips (max.)
INTERFACES
Standard:
USB, RS32, Ethernet
Optional
Parallel/WiFi/BT

HIGH PERFORMANCE PRINTERS

PX940 INDUSTRIAL PRINTER

Thermal Transfer and
Direct Thermal
3.5 in color touch LCD,
203/300/600 dpi,
Maximum Scan Width:
108 mm (4.25 in)
USB 2.0 Host (x2)USB 2.0 Device
Ethernet 10/100 Mbps
RS-232, up to 115.2 KB/s
Bluetooth LE (for Print Set MC only)
Static NFC tag (Bluetooth MAC address)

PX SERIES

Px45 / PX65
Max. Print Width:
PX45: PX45: 112 (DT)/110 (TT) mm (4.4/4.3 in)
PX6ie: 167.4 mm (6.59 in)
Ethernet: 10/100 Mbps
RS-232, up to 115.2 KB/s
Memory: 512 MB Flash memory,
256 MB SDRAM,

PORTABLE PRINTERS

BLUETOOTH LABEL PRINTER

LNX3
Bluetooth Label Printer, 3"
50 - 127 mm / 2-5 ips
USB, Bluetooth 5.0 + BLE;
Made for iPhone/
iPad certified

MOBILE PRINTERS

RP 2 / RP 4
Rugged Mobile Printer
48mm(1.89in) /
104mm(4.1in)
5 ips
BT 4.0, USB, Serial

Solution we provides:

Retail Solutions

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

Honeywell PLATINUM ELITE PERFORMANCE PARTNER

BARCODE SCANNERS

HANDHELD SCANNERS

VOYAGER 1250G

Single-Line
Laser Wired,
Read
distance:17in

VOYAGER XP1470G/ 1472G

1D/2D,
Area Imager
1040x720
(pixel array)
Wired / Wireless,
upto 30 mtr
(98 feet)

XENON 1950G/1952G

Area Imager
1280x800
(pixel array)
Wired / Wireless
100 mtr
line of sight

XENON ULTRA 1960G

Area Imager
1D/2D
Green Dot LED,
Standard Range (SR)
and High Density (HD)
Keyboard Wedge,
RS-232, USB

XENON ULTRA 1962G

Area Imager
Wired / Wireless
Green Dot LED,
13 mil UPC
at optimal focus
4 meters/second,
3300 mAh Li-Ion

PRESENTATION SCANNERS

GRANIT 1990ISR

Ultra Rugged
Area Imager
IP67 & IP65

ORBIT HF680

Area Imager
1280 × 800 pixel
USB/RS232

GRANIT 1991ISR

Area Imager
(1280 x 800
pixel array)
Bluetooth
IP67 & IP65

VUQUEST 3320G

Area Imager
Read all 1D, PDF
and 2D barcodes

VEHICLE MOUNTED COMPUTER

VM3

Thor Vehicle Mounted
Computer
Bluetooth V2.0, Windows 7,
4 GB RAM, 1.5 GHz
Dual Core Intel
Atom E3826

MOBILE COMPUTERS

EDA10 Tablet

Android 12
1920 x 1200 Full
High Definition
4 GB RAM/64 GB Flash
8 GB RAM/128 GB Flash
Bluetooth Class 5.1/2.1
+ EDR Class 2

EDA56

Android 11
4 GBRAM/64 GB
Flash; 6 GB RAM/
128 GB Flash,
Qualcomm Snapdragon
SM6115,
Bluetooth Class 5.1,
Gorilla Glass 5, 5.5-inch

EDA52

Android 11
5.5" Screen,
4GB RAM &
64GB Flash

EDA57

Android 12
4/6/8 GB RAM &
64/128 GB Flash,
Qualcomm
Snapdragon,
5.5" Gorilla display
Battery - 4500 mAh
IP67

CT45

Android 11 to
at least 13
Display Size 12.7 cm
(5.0 in)
User-accessible
microSD
card up to 512 GB

CK62

Android 14
4/8 GB RAM &
64/128 GB Flash,
Qualcomm
Octa-core 2.4 GHz,
4" display
Battery - 7000 mAh
IP65

CK65

Windows Embedded
Handheld
Android 8.0 Oreo
32 GB Flash/2 or
4 GB RAM

CK67

Android 14
8 GB RAM &
128 GB Flash,
Qualcomm
Octa-core 2.4 GHz,
4.3" display
Battery - 7000 mAh
IP65 / 68

CT47

Android 12
6 GB DDR4x RAM &
128 GB UFS Flash,
Qualcomm
Octa-core 2.7 GHz,
5.5" display
Battery - 4775 mAh
IP65 / 68



Solution we provides:

Warehouse Management Solutions

DATALOGIC DIAMOND PARTNER

BARCODE SCANNERS

HANDHELD SCANNERS

QUICKSCAN

QD 2500 / QBT 2500
2 D Imager / Cable
2 D Imager / BT
BT range: 30 mtr

QW 2120
Linear Imager / Cable

QD 2200
Linear / Cable

QW 2500
2 D Imager / Cable

GRYPHON

GD 4200 / 4520
Linear Imager 1D / Area Imager 2D

GBT 4200 / 4500
Linear 1D / Area Imager 2D / BT

GD 4590 / GD 4520-BK-b / GD 4590-BK-B
Area Imager 2D / Cable

GM 4200 / 4500
Linear Imager 1D / Area Imager 2D
433MHz

PRESENTATION SCANNERS

MAGELLAN

GPS 4421
Area Imager / 1D/2D

MGL 900i/1500i
Area Imager / 1D/2D

MGL 3410/3450VSi
Area Imager / 2D

9600 / 9900i
Linear Imager / 2D

MGL 3510 / 3550
Area Imager 2D

9300 / 9400 / 9550
Area Imager 2D

POWERSCAN

PD 9130 / PD9630 SR/HP/AR/DC/DPX
2D Area Imager / Cable

PM 9600 / PM 9600 SR/HP/AR/DCR/DPX
2D Area Imager / Wireless (RF)

PBT/PM 9501-DPM
2D Area Imager / BT

PBT 9600 SR/HP/AR/DCR/DPX
2D Area Imager / IP 65 & 67

FIXED/OEM SCANNERS

GRYPHON

GFE 4500
2D Imager

GFS 4500
2D Imager

M900i
2D Imager

DSM0400
2D Imager

MOBILE COMPUTERS

SKORPIO X5

Android 10 with GMS
Qualcomm SD660 Octa-core 2.2 GHz
Rear Camera:
Resolution: 13 MP;
RAM Memory: 3 / 4 GB;
Flash Memory: 32/64 GB
IP65

MEMOR 30/35

Qualcomm Octa-Core platform,
6 (+2GB VRAM) / 126 GB + 2 TB micro SD memory,
WiFi-6E/5G, Display-6",
IP-65& 68, Drop-6Ft.

MEMOR 11

2GHz, Octcore Processor,
4GB/32GB, Android 13, WiFi, 4G,
Display-5" Capacitive Touch,
Drop 5 Feet, IP-65.
Dedicated – Micro SD Card Slot.

MEMOR 12/17

Qualcomm Octa-Core 2.4G Hz,
6 (+2GB VRAM) /64GB,
WiFi-6E/5G,
BT- 5.3 BLE, Display-6",
5ft Drop, IP65+IP67,

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

AUTOMATION

DATALOGIC DIAMOND PARTNER

FIXED MOUNT INDUSTRIAL SOLUTIONS

1D FIXED MOUNT SCANNERS

DS5100 DS8110 DX8210 BLADE 100/200

IMAGE BASED FIXED MOUNT SCANNERS

MATRIX 120 MATRIX 220 X MATRIX 320 14LED X MATRIX 320 36LED X MATRIX 320 CM X

LINEAR CAMERAS

320 5MP AV500

CONVEYORS & REJECTION SYSTEM

Conveyor Rejection System

VISION SYSTEMS

AREX400 / UNIQ
Fiber Laser Printer/Online
10/20/30/50/100W,
50x50 to 285x285mm,
IP64



Co2 Laser Printer
10W/30W,
70x70 / 140x140mm,
IP 21

XPA 93X

Intuitive / Rotatable Display
Robust and Durable
Extra compact and flexible
4", 5" and 6" Print widths
Ribbon save function
Smart Access

PRINT & APPLY SYSTEM

CASE AND PACK PRINT & APPLY SYSTEMS



PALLET PRINT & APPLY SYSTEMS



LABELLERS





Solution we provides:

Toll Management Solution



Seuic
GOLD PARTNER

BARCODE & MOBILITY SCANNERS

HS200

Sensor speed 60fps,
IP54, RS232, USB keyboard,
USB COM
Highly resistant industrial plastic

HS220

Industrial wireless scanner,
USB:2.5W, IP51, Bluetooth 5.0 with BLE: Class 1,
3500mAh Removable battery

HS205 DPM

Industrial wired scanner
RS232 communication cable,
5V/2A power adapter

HS225 DPM

Industrial wireless scanner, Three-direction Status Light,
3500mAh High-Capacity Removable Battery,
One-to-many BT Communication Base

VF7600

2D Barcode Scanner
640 pixels * 480 pixels CMOS
Global shutter,
Scan Frequency : 90 FPS

X4 Pro FIXED SCANNER

CMOS Image Sensor with
global shutter,
1.3M, 1280 x 1080 pixels
High-intensity red LED
and blue LED,
USB 2.0 Full Speed compliant

AUTOID 3-P

MTK Octa-core,
2.0 GHz, OS: Android 12
RAM/ROM: 2+32GB/4GB+64GB
Keypad 25Keys + LED
WAN:Wi-Fi, WWAN: 4G
DISPLAY:4.0 in
IP:65,1.5m drops
BT:5.1, CAM:: 5 MP/13MP
Battery:5200mAh
NFC, 1D/2D Barcode

AUTOID Q7

Hand-held Terminal
Cortex™-A53 Octa core 1.8GHz
Android 9.0, 3GB+32GB, 31keys,
4.0 inch size industrial grade,
5200mAh battery

AUTOID 10 DPM

Qualcomm Octa-core 2.0GHz
OS: Android 11
RAM/ROM: 4GB/64GB
WAN:Wi-Fi6, WWAN: 4G
DISPLAY:4.0 in
IP:65,1.5 m drops
BT:5.1, CAM:: 5 MP/13MP
Battery:5360mAh, hotswap,
NFC, 1D/2D Barcode

AUTOID Q9-Pro

Industrial-grade
Handheld Terminal,
4GB Ram/64GB Rom,
4G, Wi-Fi, BT,
Android 13.0 OS,
4.0 inch size industrial grade,
5200mAh Lithium-ion battery

CRUISE2 4G/ 5G

MOBILES COMPUTERS
High-performance Qualcomm
Snapdragon 690 CPU
new generation AI computing
platform, Android 11 platform

AUTOID LIM

Barcode, 4G, BT 4.1, Wi-Fi,
Quad core 1.3GHz, Android 8.1 Go,
RAM+ROM: 2GB+16GB, IP54,
3180mAh Quick Switch Battery,
Drop test 0.8M

AUTOID AIR WINDOWS



NFC, Barcode,Intel Core M3-8100Y,
4GB & 8GB, Display 10.1inch,
BAT-5070mAh,

AUTOID PAD AIR

Octa-Core 2.2GHz, Android 12
RAM/ROM: 4GB/64GB
WAN:Wi-Fi, WWAN: 5G
DISPLAY:10.1 in, IP:65,1.2 m drops
BT:5.0, CAM:: 5 MP/13MP
Battery:10140mAH, NFC, 1D/2D Barcode

AUTOID SWATCH

4G, BT-5.0, Wi-Fi,
2.8 inch full view LCD,
BAT-3300mah Li-ion,
MTK Quad-core 2.0 GHz, AND-9.0,
RAM+ROM: LPDDR3 3GB+32GB,

AUTOID ECARD

2D image scan engine,
700mah Li-ion battery
TYPE-C, Built in speaker,IP67,
1000 1.6 ft. (0.5 m) tumbles,
Bluetooth 5.0,

Solution we provides:

Jar Tracking System

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

POS TERMINALS AND PERIPHERALS

SUNMI PLATINUM PARTNER

SUNMI D3 MINI

Android 13
Qualcomm Hexa-core Processor
10.1" HD Display /
4.3"WVGA Customer display,
3GB RAM+32B ROM,
NFC & 4G,
Built in 2"/3" Printer,
Network : 2G/3G/4G
Wi-Fi : 2.4GHz & 5GHz

SUNMI D3 Pro

Android 13,
Qualcomm hexa-core
15.6" FHD
4GB RAM + 64 GB ROM
Optional :-
10" with NFC

SUNMI V3 MIX

Android 13, Sunmi OS 4.0
Qualcomm hexa-core
10.1" HD
4GB RAM + 32 GB ROM
2" / 3" Printer
2D Professional Scanner
1280*800 IPS
Optional : Cradle

SUNMI T2S LITE

High Performance
Octa-Core processor,
15.6" FHD Resolution,
10.1" customer display,
3+32 GB, Android 9.0,
4 GB RAM + 64 GB ROM
(Optional)

SUNMI T2S

High Performance
Octa-Core processor,
3" Printer
15.6" FHD Resolution,
10.1"/15.6" customer display,
3+32 GB, Android 9.0,
4 GB RAM + 64 GB ROM
(Optional)

SUNMI T3 Pro/Pro Max



Android 13,
Qualcomm hexa-core
15.6" FHD
4GB RAM + 64 GB ROM
Optional :-
10" with NFC
Rotatable cradle,

SUNMI L2S PRO

Smart Mobile Terminal
5.5" HD + Display,
Octa-core 2.0 GHz
Processor,
1D/2D Scan Engines

SUNMI P2

Payment Terminal
5.5" HD IPS display,
Android 7.1
1 GB RAM+8 GB ROM
MSR, IC Card, NFC Card,
QR Code.
Optional: Finger Print

MOBILE POS

SUNMI V2S Classic

SUNMI OS
Android 12,
2" Printer
5.5" HD, 18:9 IPS,
1GB RAM+8GB ROM

SUNMI V2S Standard

SUNMI OS
Android 11,
2" Printer
5.5" HD, 18:9 IPS,
2GB RAM+16GB ROM

SUNMI V2S NFC

SUNMI OS
Android 11,
2" Printer
NFC
5.5" HD, 18:9 IPS,
2GB RAM+16GB ROM

SUNMI V2S SMART

SUNMI OS
Android 11,
2" Printer
NFC, 2D Scanner,
5.5" HD, 18:9 IPS,
2GB RAM+16GB ROM

SUNMI V2S PLUS

SUNMI OS
Android 11,
3" Printer
NFC, 2D Scanner,
6.22" HD, 18:9 IPS,
3GB RAM+32GB ROM

SUNMI V3

6.75" HD+ display with
420 nits brightness,
Octa-Core CPU,
2.4 GHz,
4GB RAM + 64GB ROM,
Hyper Wi-Fi Supported,
Fingerprint Login/Unlock,
Laser 2D Barcode Scanner,
SoftPOS Payments
With NFC

SUNMI CLOUD PRINTER

80mm Printer width
Print speed: 250 mm/sec
64MB Memory
256MB Flash
Ethernet, Wi-Fi, Bluetooth

PERIPHERALS

STALLION ECH 410
Standard Cash Drawer

STALLION VFD220-UB
Pole Display

* Sale in Middle East only



Solution we provides:

Van Sales Application

BOXPOS®

POS TERMINALS

BOXPOS ECO

Windows POS system
Intel® Celeron® J4125-2.0GHz, 8GB RAM,
128GB MSATA SSD, 15 inch HD Display,
10 Points PCAP Touch Screen
Aluminium Body, Foldable Stand,
3 years on site Warranty within
50kms of our branch locations
OPTIONS: 10.1" Second Display,
Combo Card Reader

BOXPOS LITE

Windows POS system
Intel® Celeron® J6412-2.0GHz, 8GB RAM,
128GB MSATA SSD, 15 inch HD Display,
10 Points PCAP Touch Screen,
Aluminium Body, Foldable Stand,
3 years on site Warranty within
50kms of our branch locations
OPTIONS:10.1" Second Display,
Combo Card Reader

BOXPOS TURBO

Windows POS system
Intel® Core i3-1115G4, 8GB RAM,
128GB MSATA SSD, 15 inch HD Display
10 Points PCAP Touch Screen, Aluminium Body,
Foldable Stand, 3 years on site Warranty within
50kms of our branch locations
OPTIONS: 10.1" Second Display,
Combo Card Reader

BOXPOS EXTREME

Windows POS system
Intel® Core i5-5200, 8GB RAM,
128GB MSATA SSD, 15 inch HD Display,
10 Points PCAP Touch Screen, Aluminium Body,
Foldable Stand, 3 years on site Warranty within
50kms of our branch locations
OPTIONS: 10.1" Second Display,
Combo Card Reader

BOXPOS ACE

POS Terminal
Intel processor N97 12th GEN
Memory : 8GB
Storage: 128GB MSATA/M.2 SSD
Display Size : 15.0"
Projected Capacitive Touch Screen
Optional: 10.4" TFT LED Second Display,
VFD, MSR

BOXPOS PREMIA

POS Terminal
IIntel processor Core i3 12th GEN
Memory : 8GB
Storage: 128GB MSATA/M.2 SSD
Display Size : 15.0"
Projected Capacitive Touch Screen
Optional: 10.4" TFT LED Second Display,
VFD, MSR

BOXPOS ULTIMA

POS Terminal
Intel processor Core i5 12th GEN
Memory : 8GB
Storage: 128GB MSATA/M.2 SSD
Display Size : 15.0"
Projected Capacitive Touch Screen
Optional: 10.4" TFT LED Second Display,
VFD, MSR

Versatile All-in-one POS Solution

BOXPOS™ by FLYTECH

BP317/319-6412

Industrial motherboard
Fanless design
industrial grade LCD and touch panel
11.6" Second Display with multiple mounting options
Intel® J6412 CP
8GB DDR4, 128GB eMMC
Supports Multiple OS - Windows / Linux

BP337N3/N97

Industrial motherboard
Fanless design
industrial grade LCD and touch panel
11.6" Second Display with multiple mounting options
Intel® Alder Lake N i3-N305
8GB DDR4, 128GB SSD
Supports Multiple OS - Windows / Linux

BP337N3/I3

Industrial motherboard
Fanless design
industrial grade LCD and touch panel
11.6" Second Display with multiple mounting options
Intel® Alder Lake N i3-N305
8GB DDR4
128GB SSD
Supports Multiple OS - Windows / Linux

Solution we provides:

Asset Management Solution

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

RFID

BOXRF
Seuic
GOLD PARTNER

AUTOID UM3

UHF RFID Reader
Reading Range: 4 - 10 m
Reading Speed : >200/sec.
EPC C1 GEN2/ISO18000-6C

AUTOID UF3



RFID 4 Channel Reader
EPC C1 GEN2/
ISO18000-6C/6B
Reading Rate: >700 pcs/s

UF3S 8 PORT READER

Cortex™-A53 4-core
1.3 GHz,
2GB & 16GB, AND-10,
Wi-Fi, BT, 4G, GPS,
HDMI, USB Host

UF2-C

Integrated reader
RS232, 485, CAN,
TCPIP,
IP67, Read 2m,
Support 2 GPIO outputs

BR05M

BR05M integrated reader
Processor: ARM CORTEX
M3 100M
Memory: RAM 16Kbits+FRAM 32Kbits.
Frequency: 860MHz-868MHz(CE)
Protocol: ISO18000-6B, EPC G2
Interface: RS232, RS485, TCP/IP
GPIO: 1 Relay output,
2 TTL outputs, 2 TTL inputs
Reading Range: 5 - 8 m
Power Consumed: DC+9V/12V

BR12L

BR12L integrated reader
Processor :ARM CORTEX M3 100M
Memory:RAM 16Kbits+FRAM 32Kbits.
Frequency: 860MHz-868MHz(CE)
Protocol: ISO18000-6B, EPC G2
Interface: RS232, RS485, TCP/IP
GPIO: 1 Relay output,
2 TTL outputs, 2 TTL inputs
Reading Range: 10-12 m
Power Consumed: DC+9V/12V

AUTOID UTouch2

Mobile Terminal
Proccessor: Octa-core, 2.0 GHz
OS: Android 11.0
RAM/ROM: 4GB+64GB
UHF: E710(950tag/Sec)
Ant: 5dBi-C & 20Mtr, WAN:Wi-Fi-6,
WWAN: 4G, DISPLAY:4.0 in,
IP:67,2m drops, CAM:: 5 MP/13MP
Battery: 11700mAh,
NFC, 1D/2D Barcode

AUTOID UTouch 2-S (6+3)

Mobile Terminal
CPU: Qualcomm octa-core 2.0GHz
OS: Android11
RAM+ROM: 4GB+64GB,
6GB+64GB/8GB+128GB
Size: 5.5 inches, RFID: Impinj E510
Battery: 5000mAh
Ingress protection: IP68 1.8m drop
Camera: 1300W rear+500W
front Phase-focused
Scan engine: 1D/2D, WLAN: Wi-Fi6,
WWAN: 4G full Netcom
NFC: Support

STA AN86609C

Antenna
ISO: 18000-6B EPC G2
Gain 9dBi

STA AN86612C

Antenna
ISO: 18000-6B EPC G2
Gain 12dBi

STA SS018

Touch Kiosk
17" LCD with
Intel Duel Core Processor
ISO: 18000-6B EPC G2
Reading Distance:2 Mtr.

STA DB001

Book Drop Box
14" monitor with
Duel Core Processor
ISO: 18000-6B EPC G2
Reading Distance:20Mtr.

STA ANTI-THEFT GATE READER

Audible Sound Alaram
& Visible LED
ISO: 18000-6B EPC G2
Reading Distance: 3 Mtr.

RFID SMART TRAY

RFID Smart Trey
for Jewelry

RFID SMART TROLLEY

Cortex™-A53 4-core1.3 GHz,
2GB & 16GB, AND-10, Wi-Fi, BT,
4G, HDMI, USB Host,
Screen 10.1 Inch

RFID TUNNEL

RFID Tunnel System,
Protocols EPC C1G2,
Frequency UHF 920-925 Mhz,
Antenna Circular

TAGS

ACURA part of

RFID

EDGE-50 AUTO ID V2

UHF RFID reader
Mode Frequency Hopping
Frequency: 250 kHz
Protocol: 26/34-bit Wiegand
Interfaces,
ABA Track 10/14 digits,

Protocols: EPC Gen2 (ISO 18000-6C); ISO 18000-6B
Interface: Wiegand 26/34 bits,
ABA Track 10/14 digits,
RS-232 serial and TCP/IP

EDGE-30R

EDGE-30R+ TCP/IP UHF reader
Mode Frequency Hopping
ANT: 7.0 dBic & Ip65
Polarization Circular (RHCP)

Frequency: 860MHz-868MHz(CE)
Protocol: ISO18000-6B, EPC G2
Interface: RS232, RS485, TCP/IP

EDGE-60R-M

EDGE-60R-M TCP/IP UHF reader
Mode Frequency Hopping
ANT: 12.5 dBic & IP66

Frequency: 860MHz-868MHz(CE)
Protocol: ISO18000-6B, EPC G2
Interface: RS232, RS485, TCP/IP

EDGE-70R-M



EDGE-70R-M TCP/IP UHF reader
Mode Frequency Hopping
ANT: 14.5 dBic & IP64

Frequency: 860MHz-868MHz(CE)
Protocol: ISO18000-6B, EPC G2
Interface: RS232, RS485, TCP/IP

XR2 UHF RFID READER

Qualcomm Snapdragon
662 octa-core, 2.45GHz,
BATTERY: 9000mAh
Impinj E710 chip
Sealed to IP67 standard and
withstands 4'/1.2m drops,
4GB/64GB of memory
Integrated 4G LTE, Wi-Fi,
Bluetooth

JANAM

1128 BLUETOOTH UHF READER

Bluetooth,
EPC Class 1 Gen 2.
Nominal read range :
Up to 5.5 m (18 ft)

2128P BLUETOOTH UHF READER

Bluetooth,
EPC Class 1 Gen 2.
Nominal read range:
Up to 9 m (29.5 ft)

1166 BLUETOOTH UHF READER

Bluetooth,
EPC Class 1 Gen 2.
Nominal read range:
Up to 9 m (29.5 ft)
IP 65

Adept 500GC
Dual Frequency
Passive
Cyliner Tag

Omni-ID Max®
Rigid



Flex 600

Adept 800G
DP 929



Omni-ID®
Adept 400

Adept 500

Omni-ID®
Fit 100

Omni-ID®
Fit 210

Omni-ID®
Fit 400

Omni-ID®
Dura 600

Omni-ID®
Fit 700 (Global)

Omni-ID®
Exo 400



Omni-ID®
IQ 600

Omni-ID®
IQ 150

Omni-ID
Prox® label



STA Flex 600

UHF Hanger Tag



STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

BARCODE LABELING SOFTWARE

BarTender® BY SEAGULL SCIENTIFIC

Helpful to unified label production • Easy to understand user interface
Great editing capabilities • Can easily print variable data & serial numbers

S STARTER EDITION

Basic business label design and printing with easy-to-use design tools, allowing users to quickly design and print commercial-quality labels. Users are up and running in minutes, using BarTenders intuitive design tools, wizards and extensive library of sample label templates.

SIMPLE LABEL CREATION AND PRINTING FOR YOUR SMALL BUSINESS

- Easy label design tools to create commercial-quality labels, right out of the box
- Just-in-time, on-demand labeling
- Connect to data stored in Excel or CSV files
- Designed to support Amazon Transparency

P PROFESSIONAL EDITION

Dynamic business printing with data entry forms, powerful Intelligent Templates, database connection, encoding and on-demand, anywhere, any device printing. Built for organizations of any size that need to standardize label printing.

TURN YOUR DATA INTO DYNAMIC LABELS, RFID TAGS AND CARDS

- Powerful design tools such as
- BarTenders Intelligent Templates reduce label maintenance
- Secure anywhere, anytime internet printing
- Enhanced data accuracy with connections to files and databases
- Data entry forms that standardize the data capture and label print process
- RFID and smart card encoding support

A AUTOMATION EDITION

Efficient automated printing with powerful process automation and business application integration. Enterprises of any size can seamlessly automate their label and document printing.

CREATE POWERFUL INTEGRATIONS WITH EXISTING BUSINESS SYSTEMS

- Flexible integration supports broad interoperability
- Seamless integration to virtually any business system
- Automated print operations, no coding required
- Advanced printing controls, including business rules and label reprint

E ENTERPRISE EDITION

For businesses that operate in regulated industries, span multiple locations or need centralized control of their label design and printing operations.

COMPREHENSIVE ENTERPRISE LABELING MANAGEMENT

- Centralized document storage and management for revision control
- Faster label design, approval and publishing with workflow orchestration
- Comprehensive security and auditable processes
- Traceability and serialization to meet industry regulations
- Seamless integration with virtually any business system
- Enhanced reliability for mission-critical environments

BarTender® BY SEAGULL SCIENTIFIC
CLOUD CERTIFIED PARTNER

Solution we provides:

Visitor Management Solution

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

* Sale in Middle East only

Avery Berkel
Made in UK

AVERY BERKEL RETAIL SCALES

XTi100

XTi Series

Monobloc scale
Linux OS
Counter Labelling /
Customer Self Service
Pre-Pack Labelling
and Printing
6kg AVR / 15kg AVR /
30kg AVR, 30kg x 5g
Label/receipt printer
Arabic enabled
ValueMax© technology

XTi200

XTi Series

Low operator display
with customer head-up
display scale
Linux OS
Counter Labelling
EPOS System
15kg AVR / 30kg AVR,
30kg x 5g
Label/receipt printer
Arabic enabled
ValueMax© technology

XTi400

XTi Series

Operator and customer
head-up display scale
Linux OS
Counter Labelling
EPOS System
15kg AVR
Label/receipt printer
Arabic enabled
ValueMax© technology

XTs100

XTs Series

Monobloc scale
Counter Labelling /
Customer Self Service
Pre-Pack Labelling
and Printing
6kg AVR / 15kg AVR /
30kg AVR
Arabic enabled
ValueMax© technology

XTs200

XTs Series

Low operator display
with customer head-up
display scale
Linux OS
Counter Labelling
EPOS System
15kg AVR
Label/receipt printer
Arabic enabled
ValueMax© technology

XTs400

XTs Series

Operator and customer
head-up
display scale
Linux OS
Counter Labelling
EPOS System
15kg AVR
Label/receipt printer
Arabic enabled
ValueMax© technology

XTs500

Low operator display
with customer
hanging scale
Linux OS
Counter Labelling
EPOS System
15kg AVR
Label/receipt printer
Arabic enabled
ValueMax© technology

XS100



XS Series

Monobloc scale
Counter Labelling
Pre-Pack
Labelling and Printing
15kg AVR
25kg x 5g
Label/receipt printer

XS200

XS Series

Low operator display
with customer head-up
display scale
Counter Labelling
EPOS System
15kg AVR
Label/receipt printer

XS400

XS Series

Operator and customer
head-up display scale
Counter Labelling
EPOS System
6kg AVR / 15kg AVR
25kg x 5g
Label/receipt printer

XS500

XS Series

Hanging scale
Counter Labelling
15kg AVR
15kg x 5g

FX120

FX Series

Checkout scale
Checkout
15kg AVR
15kg x5g

FX131

FX Series

Checkout scale
Checkout
15kg x5i

DADAUX FOOD PROCESSING EQUIPMENT

BONE SAW SX200/SX220

Monobloc housing
100% stainless steel
including the flywheels
Articulated wipers
100% sealed

BONE SAW SX300/SX350

Monobloc housing
100% stainless steel
including the flywheels
Articulated wipers
100% sealed
Hinged table for ease
of cleaning

PH13 - PHX15 - PHX25
PHX40 - PHX60

Hydraulic stuffer
13 litres to 60 litres
Liftable and removable cover
to facilitate and ensure hygiene
Cover piston and stainless steel nozzle
Electrical equipment protected by
waterproof case and closed
hydraulic circuit,
Stainless steel levers and handles

MINCER 82 CLASSIC / TX82

Meat mincer 82 Classic TX82
Entirely 1810 stainless steel
Monobloc crank case.
Oil bath speed reducer,
Hardened and grinding
pinions in steel. 3 phases,
220V/380V, 50/60Hz.

GRAVINOX 300 & 350

Sealed and can be
cleaned with
a hand spray
100% stainless steel,
Fitted with the
Variocut system

OPTIMUM
AM security systems
Magnetic
system: 58 kHz,
Advanced anti
noise algorithms,
Jammer Alarm

OPTIMUM
RF security systems
Magnetic
system: 8.2 kHz,
Mono or Dual System
configuration,
Plug & Play installation
Robust aluminum profiles

WIDE EXIT
AM security systems
Magnetic
system: 58 kHz,
Advanced anti
noise algorithms,
Jammer Alarm



X-CLEAR
AM security systems
Magnetic
system: 58 kHz,
Advanced anti
noise algorithms,
Jammer Alarm

STALLION GROUP SMARTER | FASTER | HIGHER
INDIA | UAE | QATAR | OMAN

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

SOFTWARE

StallionSoft

Complete Software Solution

ASSET MANAGEMENT



WAREHOUSE MANAGEMENT

FILE TRACKING SYSTEM

VISITOR MANAGEMENT SOLUTION

WORK IN PROGRESS APPLICATIONS

MARINE PRODUCTS WAREHOUSE MANAGEMENT

FOOD PRODUCTS WAREHOUSE MANAGEMENT

STUDENTS ATTENDANCE TRACKING

Web Based & Windows Based Applications

- Work in Progress Application
- ERP & SAP Integration Modules
- Android mobile App Development
- Store Management System
- Barcode Printing Applications
- Inventory Management System
- Event Management Application
- Vehicle tracking system
- Weighbridge automation Solution

Solution we specialized:

Web & Window Based Applications

BARCODE • RFID • AUTOMATION • POS • SOFTWARE • CONSUMABLES

www.stallionglobal.com

STALLION GROUP SMARTER | FASTER | HIGHER

INDIA | UAE | QATAR | OMAN

ROLLY

LABELS & CONSUMABLE PRODUCTS

AGMARK - Certified Packaging and Labeling

PRODUCT LABELS

Food & Beverage Labels
Pharmaceutical & Medical Labels
Cosmetic & Personal Care Labels

Automotive & Industrial Labels
Logistics & Shipping Labels
Warehouse & Inventory Labels

Barcode & QR Code Labels
Asset Tracking Labels

Tamper-Proof Security Labels
Holographic & Void Labels
Serial Number & Authentication Labels

THERMAL TRANSFER RIBBONS

SW 01 Standard Wax	**SR 02** Premium Ribbon	**SWR 02** Premium Wax Resin	**SR NE** Near Edge Resin
SR 01 Resin Ribbon	**SWR 01** Standard Wax Resin	**SWR NE** Near Edge Wax Resin	
SW 02 Premium Wax	**SR WC** Wash Care Resin	**SWR 03** Super Premium Wax Resin	

THERMAL POS ROLLS

Printed and Plain

ROLLY

80 x 80 Thermal
79 x 80 Thermal
57 x 20 Thermal
80 x 50 Thermal

LABELS & TAGS / WRIST BANDS

Self Adhesive Paper / Film
Speciality Labels / Tags
Tafetta / Linen / Cloth Labels
Blank/Plain Label & Tags

We specialised in

10 colours, Lamination, Foil,
Front and back printing,
Multilayer labels, Auto registration,
100% inspection,
Print 15 micron film to
300gsm paper etc.

Our Factories at
Mumbai, Bangalore,
Kochi & UAE